

## PIXMA – High Performance Right Out Of The Box!

This Inkiet Business Printer will be a vital asset to your business as soon as you unpack it. Default settings ensure exceptional speed and quality, which means you don't have to change a thing. It prints posters up to A3+ size, while PgR Technology produces laser-like, waterresistant photos and documents on plain paper. Photo printing was never so efficient or creative, thanks to Easy-PhotoPrint EX. And Easy-WebPrint EX gives you complete control when printing from the web. Ease of use is further augmented by a host of convenient features and functions. including three-way paper feeding and network printing. Naturally, every PIXMA is designed to be both energy efficient and environment friendly. When it comes to business, PIXMA does it so much better...the moment you take it out of the box!

#### **Auto Duplex Printing**

Built-in auto duplex printing unit enables 2-sided prints on plain paper.





#### **Lower Power** Consumption

Achieves lower power consumption compared to color laser printers.

#### PgR Technology

and superb photos on plain paper.



#### Rear Trav

For feeding photo paper or plain paper.



#### Photo-Lab Quality

Print up to 4800dpi with microscopic ink droplets as small as 2pl. 4x6" borderless photo printing in approx. 44 sec.

FINE

4800 dpi





#### Manual Paper Feed

Allows the use of plain paper sizes other than the size of paper in the cassette.



#### ISO Standard Speed

Default print speed on plain paper for businessquality documents.

DOCUMENT PRINTING\*1 (ESAT)

10.2<sub>ipm</sub> Mono



Measured by ISO / IEC 24734 Standard

### Supports Various Media

Including A3/Ledger plain paper. A3+ photo paper and fine art paper.

#### **Large-Capacity Cassette** Holds up to 250 sheets of plain paper.





# Pigment Reaction (PgR) Technology – Laser-Quality Photos & Business Documents On Plain Paper

- Pigment reactor (clear ink) keeps ink on the paper's surface so colors do not diffuse
- Improves saturation, brightness and ink fixation for outstanding, water-resistant images and laser-quality text
- Increases print longevity & prevents curling, ink bleeding and "show-through"



## Three-Way Paper Feeding – Handles All Types Of Media Up To A3+ Size

- Load up to 20 sheets of photo paper in the rear tray: A3+/A3/A4/LTR/L/2L/4x6"/5x7"/8x10"
- Large-capacity cassette supports plain paper sizes: A3/A4/A5/B4/B5/LTR/LGL/LDR
- Manual Feed supports plain paper sizes: A3/A4/B4/B5/LTR/LGL/LDR

## High Paper Capacity – Convenient For High-Volume Printing

- Cassette holds up to 250 sheets of plain paper for fast continuous printing
- Use rear tray or manual feed to print different sizes or media without changing paper

## Ethernet – Enjoy The Convenience Of Network Printing



- Built-in Ethernet port for the creation of wired network
- Several users at different computers can share the printer



## High-Performance Printing

#### Superb Resolution & Excellent Detail

- High resolution printing up to 4800x1200dpi for brilliant prints
- Microscopic ink droplets as small as 2pl provide exceptional detail and smooth gradation throughout the entire image



min. 2pl



Color inkdroplet size

Color inkdroplet size min. 5pl

## Custom Biz Templates – Create High-Quality Business Materials Easily

- Download professional templates from the exclusive Canon Creative Park website, available only to PIXMA iX7000 users
- Fast and easy to make high-quality posters, brochures, flyers, presentation materials and much more









\*User can edit the text and photos by following the instructions.

### Environmentally Responsible

- Special functions such as 4-in-1 and 2-in-1 printing and other layout options reduce paper use
- Conforms to the EU RoHS directive and the International Energy Star Program



#### ISO SPEED STANDARDS – A UNIFORM MEASURE FOR ALL

Canon has adopted International Organization for Standardization (ISO) Productivity Standards governing print speed for inkjet printers. For Canon, these standards cover PIXMA Photo Printers and Office All-In-One Printers.

Under the ISO/IEC 24734 standard, participating print-device vendors will adopt a common measurement system for published print speed performance. Users will find it easier than ever to choose the ideal printer, based on their needs.

 ISO/IEC 24734 defines the measuring method of print speed on plain paper

For details on the ISO print productivity standards, please visit www.canon-asia.com



## Easy-PhotoPrint EX -It's So Easy To Do So Much More!

#### **Print Photos Easily**

Simply select paper size, layout and then print. Borderless photos are so easy!



#### Make An Album

Create your very own customized photo album using your favourite images. Just select a layout and the photos you want to include.

#### Create A Personalised Photo Calendar

Select a layout, dates, colors and fonts then add your best images. Now there are even more layouts and paper sizes from which to choose!





#### **Print Fun Photo Stickers**

Use photos taken with a digital camera, or any other images, to make one-of-a-kind photo stickers and have fun sticking them anywhere!



#### **Get Creative With Lavout Print**

Choose from a variety of paper sizes and layouts. You can even add text to your photos.



#### New Auto Photo Fix II – Lab-Quality Fine Tuning



 More precise color balance and brightness correction



Original (underexposed)



optimized



 Faces are properly exposed without compromising the background



(underexposed)



Faces optimized

 Optimizes brightness individually for different areas within an image



Original (underexposed)



Scene optimized

 Distinguishes between underexposed images and night scenes



Original (underexposed)



Night scene optimized

## New Easy-WebPrint EX – The Ultimate Solution For Web-Based Printing

Collect, combine and edit multiple web pages to print your own layout using Easy-WebPrint EX. (Windows only)

#### **Auto-Clipping**

Clip the main part of the Web page to print.





#### Clip From Multiple Pages

Recommended, Italian Restaurant Collect, combine, edit and print the web content from multiple pages.





#### **Print With Enlarged Text Size**

Adjust to improve the legibility.



#### Save Paper When Printing

Reduce Page to Print, Multi-Column Printing, Duplex







#### **Photo Printing**



#### SG-201 Photo Paper Plus Semi-Gloss

The velvety texture of this semi-gloss paper gives your photos an amazingly rich quality. It produces vibrant images with low glare and a soft glossy finish for photo-lab-quality prints right at home.

- 270g/m<sup>2</sup>
- 4x6", A4, A3, A3+, 8x10", 10x12", 14x17"



#### PP-201 Photo Paper Plus Glossy II

Photo Paper Plus Glossy II yields a glossy finish and exceptionally rich colors, giving your images the look and feel of traditional photographs.

- 260a/m<sup>2</sup>
- 4x6", A4, A3, A3+



#### PT-101 Photo Paper Pro Platinum (Super High Gloss)

The ultra-glossy photo paper. Make your prints come alive in vibrant, vivid colors, thanks to an expanded red spectrum. Photo Paper Pro Platinum offers a paper thickness unrivalled among commercial photo papers, and exceptional print quality for truly unforgettable photos.

- 300g/m<sup>2</sup>
- 4x6", A4, A3, A3+, 8x10"

#### **Special Projects**



#### MP-101 Matte Photo Paper

Here's an ideal paper for superior results. This matte-finish, heavyweight paper will infuse your images with remarkably vibrant color every time. Great for arts & crafts projects.

- 170a/m<sup>2</sup>
- 4x6". A4. A3

#### **Special Projects**



#### PS-101 **Photo Stickers**

Make fun photo stickers of all your favorite photos. Perfect for making memories on the go!

- 190q/m<sup>2</sup> Stickers (5)
- sheets/pack) (16 photo stickers/sheet)

### **Business Printing**



#### HR-101N High Resolution Paper

This paper is perfect when you want to create eye-catching graphics and winning reports. It optimizes output resolution, creating near-photographic images every time.

- 110a/m<sup>2</sup>
- A4, A3, A3+

#### **Fine Art Printing**



#### FA-PR1 Fine Art "Photo Rag"

This versatile, soft white paper is made from 100% acid-free cotton rag and has a surface expressly created to pick up every detail in your image. It's excellent for reproducing even the most delicate tones in photo art prints.

- 188a/m<sup>2</sup>
- A4, A3, A3+

Visit Canon **FREE DOWNLOADS** 

#### 3D PAPER CRAFT

Have fun creating paper castles. dinosaurs, fish, & other exciting objects.

PHOTO GALLERY

Add excitement to

downloading free

creative projects by

professional photos.



#### PAPER ART

Make origami, 3D decoupages, and paper-reliefs you'll be proud to display.



#### **GIFT & CARD**

Create stationery. envelopes & cards for holidays, birthdays or any occasion.





#### **SCRAPBOOKING**

It takes photo albums to a whole new level. and it's fun for the entire family!



#### **Ink Cartridges**

PGI-7BK **Pigment** Black







## PGI-9 Clear





#### PGI-9Y **Pigment**

#### **CALENDARS**

Make personalized calendars; decorate with photos and creative designs.




## Specifications

| PRINT   |  |                                     | PIXMA iX7000   |
|---|--|-------------------------------------|--|
| Speed*1                                       | Document: B/W                              | ESAT                                | Approx. 10.2ipm  |
|   | Document: Color                            | ESAT                                | Approx. 8.1ipm   |
|   | Photo (4x6")                               | PP-201 / Standard / Borderless      | Approx. 44secs   |
| Resolution (dpi)*2                            |  |                                     | 4800 x 1200dpi (max.)  |
| Min. Ink Droplet Size                         |  |                                     | 2pl (min.)   |
| Number of Nozzles                             |  |                                     | 3584   |
| Cartridge Type                                |  |                                     | PGI-7BK, PGI-9BK / C / M / Y / Clear                                     |
| Printable Width                               |  |                                     | Up to 322.2mm; Borderless: Up to 329mm (A3+) (13 inch)                   |
| Recommended Printing Area                     |  |                                     | Top margin: 39.3mm / Bottom margin: 36.4mm                               |
| Applicable Media Sizes*3                      |  |                                     | A3+, A4, Letter, Legal, A5, B5, Envelopes (DL, COM10), 4x6", 5x7", 8x10" |
| Borderless*4                                  |  |                                     | A3+ / A3 / A4 / 8x10" / 4x6"   |
| NETWORK                                       |  |                                     |  |
| Protocol                                      |  |                                     | TCP / IP   |
| Network Type                                  |  |                                     | IEEE802.3u (100BASE-TX) / IEEE802.3 (10BASE-T)                           |
| Transmission System                           |  |                                     | 100M / 10Mbps (auto switchable)  |
| PAPER HANDLING                                |  |                                     | room, remape (acre of menasts)   |
| Rear Tray                                     |  | Photo Paper Pro Platinum (PT-101)   | A3+ = 1, A3 / A4 / 8x10" = 10, 4x6" = 20                                 |
|   |  | Photo Paper Plus Glossy II (PP-201) | A3+=1, $A3/A4/8x10"=10$ , $4x6"=20$                                      |
|   | Photo Paper Plus Semi-Gloss I (SG-201)     |                                     | A3+ = 1, A3 / A4 / 8x10" = 10, 4x6" = 20                                 |
|   | Matte Photo Paper (MP-101)                 |                                     | A3+ = 1, A3 / A4 = 10, 4x6" = 20   |
|   | Envelope                                   |                                     | European DL and US Com. #10 = 10   |
|   | Fine Art Paper "Photo Rag™" (FA-PR1)       |                                     | A3+ / A3 / A4 =1   |
|   | Other Fine Art Paper  Other Fine Art Paper |                                     | A3+ / A3 / A4 =1   |
| Cassette                                      |  | Plain Paper                         | A3 / A4 / A5 / B4 / B5 / Legal / Ledger = 250                            |
| Manual Feeding Tray                           |  | Plain Paper                         | A3 / A4 / B4 / B5 = 10   |
| Support media for                             |  | Type                                | Plain paper  |
| Auto Duplex Printing                          |  | Size                                | A3 / A4 / A5 / B4 / B5 / Legal / Ledger                                  |
| PAPER WEIGHT                                  |  | Size                                | AUT AT AUT DET DUT Legal / Leugel  |
| Rear Tray                                     |  |                                     | Canon specialty paper: max paper weight:                                 |
| rical fray                                    |  |                                     | approx. 300g/m² (Photo Paper Pro Platinum PT-101)                        |
| Cassette                                      |  |                                     | Plain Paper: 64 - 105 g/m <sup>2</sup>                                   |
| OPERATING SYSTEM                              |  |                                     | 1 Ιαπτί αροί. ο <del>τ</del> 100 g/π                                     |
| Windows                                       |  |                                     | 2000 SP4 / XP SP2 / Vista  |
| Macintosh                                     |  |                                     | OS X 10.3.9 - 10.5   |
| GENERAL                                       |  |                                     | 00 X 10.0.3 - 10.0   |
| Interface                                     | PC   |                                     | USB 2.0 Hi-Speed, Ethernet   |
| Canon Bundled Software  Operating Environment | 10   |                                     | Canon Solution Menu  |
|   |  |                                     | Easy-PhotoPrint EX, Easy-PhotoPrint PRO, Easy-WebPrint EX (Windows only) |
|   |  |                                     | Temperature: 5-35°C; Humidity: 10-90% RH (no dew condensation)           |
| Storage Environment                           |  |                                     | Temperature: 0-40°C; Humidity: 5-95% RH (no dew condensation)            |
| Acoustic Noise*5                              |  |                                     | approx. 36.0 dB(A)   |
| Power   |  |                                     | AC100-240V, 50 / 60Hz  |
| Power Consumption                             | Standby (USB connec                        | tion to PC)                         | approx. 1.7W   |
|   | Off (USB connection to PC)                 |                                     | approx. 0.7W   |
|   | Printing*6                                 | 31 3)                               | approx. 22W  |
|   | Maximum (instantaneo                       | nue)*7                              | approx. 22W  |
| Safety Standard                               | Safety                                     | ous)                                | SPRING (Singapore)   |
| Environment                                   |  |                                     | RoHS (EU), WEEE (EU), RoHS (China)                                       |
|   | Regulation<br>Eco-Label                    |                                     |  |
| Maint   | Eco-Label                                  |                                     | Energy Star  |
| Weight  |  |                                     | 19.8kg   |
| Dimensions (W x D x H)                        |  |                                     | 647 x 519 x 260mm  |

Specifications are subject to change without notice.

- \*1: Document print speeds are the averages of ESAT in Office Category Test for the default mode, ISO/IEC 24734, excluding time to print the first set. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used, etc.
- \*2: Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- \*3: The paper sizes that can be fed from the cassette are A3, A4, A5, B4, B5, Letter, Legal
- \*4: Paper types NOT supported for borderless printing are as follows: Plain Paper, Super White Paper, Envelope, Fine Art Paper "Photo Rag™", Other Fine Art Paper.
- \*5: When printing ISO/JIS-SCID N2 pattern on 4x6" Photo Paper Plus Glossy II using default settings.
- \*6: When printing ISO/JIS-SCID N2 pattern on A4 size plain paper using default settings.
- \*7: Maximum instantaneous power consumption when printing ISO/JIS-SCID N2 on A4 size plain paper using Fast mode.







## South & Southeast Asia Regional Headquarters

#### **CANON SINGAPORE PTE. LTD.**

1 HarbourFront Avenue #04-01 Keppel Bay Tower Singapore 098632

Tel: 65-6799 8888 Fax: 65-6799 8882

www.canon-asia.com

#### **BANGLADESH:**

J.A.N. Associates Tel: 880-2-8611444 Fax: 880-2-8610410

#### **BRUNEI:**

Interhouse Company Tel: 673-2-653001 Fax: 673-2-653003

#### **CAMBODIA:**

Cemtes (Cambodia) Pte Ltd Tel: 855-023-214229 Fax: 855-023-217357

#### INDIA:

Canon India Pvt. Ltd. Tel: 91-124-4160000 Fax: 91-124-4160011 www.canon.co.in

#### INDONESIA:

P.T. Datascrip Tel: 62-21-6544515 Fax: 62-21-6544811 www.canon.co.id

#### MALAYSIA:

Canon Marketing (Malaysia) Sdn. Bhd. Tel: 603-78446000

Fax: 603-78450505 www.canon.com.my

#### MALDIVES:

SIMDI Tel: 960-3

Tel: 960-324819 Fax: 960-318433

#### **MYANMAR:**

Accel International Company Ltd. Tel: 95-1-202092/3/4 Fax: 95-1-202079

#### **NEPAL:**

International Electronics Concern (P) Ltd. Tel: 977-1-4421991 Fax: 977-1-4421909

#### PAKISTAN:

Mega Business Machines Tel: 9221-34302026-7 Fax: 9221-34386308

#### SINGAPORE:

Canon Singapore Pte. Ltd. Tel: 65-6799 8888 Fax: 65-6221 7577 www.canon.com.sq

#### SRI LANKA:

Metropolitan Computers (Pvt) Ltd. Tel: 94-11-2437797

Fax: 94-11-2448980

#### **THAILAND:**

Canon Marketing (Thailand) Co. Ltd. Tel: 66-2-3449999 Fax: 66-2-3449910 www.canon.co.th

#### VIETNAM:

Canon Singapore Pte. Ltd.

Ho Chi Minh City Representative Office & Showroom Tel: 84-8-8200466

Fax: 84-8-8200466 www.canon.com.vn

Hanoi Representative Office Tel: 84-4-7711677 Fax: 84-4-7711678 www.canon.com.vn

Dealer's Stamp

All information contained in this brochure is correct at the time of printing.















