HP LaserJet Enterprise 700 MFP M725 series



Ramp up your business efficiency and print in sizes up to A3 with ease.

Enable large-volume printing on a wide range of paper sizes – up to A3 – with a 4,600-sheet maximum input capacity.¹ Preview and edit scanning jobs; centrally manage printing policies; safeguard sensitive business information.











20.3 cm Color touchscreen



Empower teams to do more – print, scan, copy and fax' on paper sizes up to A3 – from a desktop MFP

- Stay focused on work paper capacity up to 4,600 sheets and high-capacity cartridges limit interruptions.²
- Get impressive document quality with near edge-to-edge printing and a convenient, built-in stapler.⁴
- Print what you need, even on the go from your smartphone or tablet using HP ePrint⁵ or Apple Airprint[™].⁶

Quicken your business pace.

- Set a swift pace use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets.
- Efficiently capture the right content: automatically remove blank pages, preview, edit and control jobs on the large colour touchscreen.
- Incorporate paper documents into digital workflows easily send scans to fax³, email, network folders or USB. Print right from a memory device via the USB port.

Simplify fleet management and safeguard devices using world-class tools.7

- Monitor your devices with industry-leading tools, including HP Web Jetadmin.⁷ Help protect data both in transit and at rest.
- Enhance security with PIN printing. Add safeguards via the hardware integration pocket. Integrate tomorrow's solutions with ease.
- Add security tools such as card and badge readers via the hardware integration pocket.[®]

Reduce energy use with HP Auto-On/Auto-Off Technology⁹ and HP Instant-on Technology.¹⁰

- Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use.⁹
- Easily recycle Original HP Laser Jet toner cartridges through HP Planet Partners¹¹.
- Save paper and cut costs, using automatic two-sided printing.

Product walkaround

HP LaserJet Enterprise 700 MFP M725z:

- 1. 100-sheet automatic document feeder
- 2. Intuitive 20.3 cm (8-inch) pivoting light touch SVGA colour control panel with FutureSmart firmware and scan preview
- 3. Hardware integration pocket for solution integration
- 4. Easy-access USB port to save and print files directly
- 5. In-line stapler/stacker for stapling up to 30-pages and a 500-sheet output tray
- 6. Standard 250-sheet stacker output bin7. Front door allows convenient access to print cartridge
- 8. Built-in automatic two-sided printing
- 9. 2 x 250-sheet input tray 2 and tray 3
- 10. 3,500-sheet high-capacity feeder with cabinet for a 4,100-sheet total input capacity
- 11. 100-sheet multipurpose tray 1 handles up to 100 pages
- 12. Fax port
- 13. 800 MHz processor, 1 GB standard memory (Expandable to 1,5 GB)
- 14. HP High Performance Encrypted Hard Drive
- 15. Hi-Speed USB 2.0 printing port
- 16. HP Jetdirect Gigabit Ethernet print server





Series at a glance









Model	HP LaserJet Enterprise MFP M725dn	HP LaserJet Enterprise MFP M725z+	HP LaserJet Enterprise MFP M725f	HP LaserJet Enterprise MFP M725z
Product number	CF066A	CF069A	CF067A	CF068A
Features	Print, copy, scan (fax optional)		Print, copy, scan, fax	
Print speed	41 ppm, A4	41 ppm, A4	41 ppm, A4	41 ppm, A4
First page out (black/colour, A4)	As fast as 10 seconds A4			
Input capacity (standard/optional)	600/4600	4100/4600	1600	2100
Output capacity	250	750	250	750
RMPV	5000/20,000	5000/20,000	5000/20,000	5000/20,000
ADF capacity	100	100	100	100
Paper trays (standard/maximum)	3/6	4/5	5/5	6/6
In-line stapler	N/A	500-sheet	N/A	500-sheet
Control panel	20.3 cm pivoting colour touchscreen control panel	20.3 cm pivoting colour touchscreen control panel	20.3 cm pivoting colour touchscreen control panel	20.3 cm pivoting colour touchscreen control panel
Memory (standard/maximum)	1/1.5 GB	1/1.5 GB	1/1.5 GB	1/1.5 GB
Networking	Standard (built-in Gigabit Ethernet)	Standard (built-in Gigabit Ethernet)	Standard (built-in Gigabit Ethernet)	Standard (built-in Gigabit Ethernet)

Accessories, Supplies and Support

Supplies	CF214A HP 14A Black Original LaserJet Toner Cartridge 10,000 pages			
	CF214X HP 14X High Yield Black Original Laser Jet Toner Cartridge 17,500 pages			
	CF254A HP LaserJet CF254A 220V Maintenance/Fuser Kit 200,000 pages			
Accessories	C8091A HP Staple Cartridge Refill (5000 staples) for Stapler/Stacker accessories			
	CC487A HP Laser Jet MFP Analog Fax Accessory 500			
	CF239A HP LaserJet 500-sheet Feeder and Tray			
	CF242A HP LaserJet 3x500-sheet Feeder and Stand			
	CF243A HP LaserJet 1x500-sheet Feeder with Cabinet and Stand			
	CF245A HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand			
Connectivity	J8021A HP Jetdirect ew2500 802.11b/g Wireless Print Server			
	J8026A HP Jetdirect 2700w USB Wireless Print Server			
Service and support	U7A14E HP 3 year Next Business Day with Defective Media Retention LaserJet M725 MFP Hardware Support U7A15E HP 4 year Next Business Day with Defective Media Retention LaserJet M725 MFP Hardware Support U7A16E HP 5 year Next Business Day with Defective Media Retention LaserJet M725 Multifunction Hardware Support U7A09E HP 3 year 4 hour 13x5 LaserJet M725 MFP Hardware Support U7Y76PE HP 1 year Post Warranty Next Business Day with Defective Media Retention LJ M725 MFP Support U7Y73PE HP 2 year Post Warranty Next Business Day LaserJet M725 MFP Hardware Support U7Y75PE HP 1 year Post Warranty 4 hour 13x5 LaserJet M725 MFP Hardware Support			

Technical specifications

Model	HP LaserJet Enterprise MFP M725dn	HP LaserJet Enterprise MFP M725z+	HP LaserJet Enterprise MFP M725f	HP LaserJet Enterprise MFP M725z		
Product number	CF066A	CF069A	CF067A	CF068A		
Print speed	Up to 41 ppm black (A4); Up to 28 ipm black duplex (A4) Up to 20 ppm black (A3)					
First page out time	As fast as 10 sec black (A4, ready)					
Print resolution	Up to 1200 x 1200 dpi black					
Print technology	Laser					
Print Area	Print margins: Top: 2 mm; Bottom: 2 mm; Le	ft: 2 mm; Right: 2 mm; Maximum print area: 308 x	465.9 mm			
Print languages	HP PCL 6, HP PCL 5, HP postscript level 3 em	ulation, PDF 1.4				
Mobile printing capability	HP ePrint, Apple AirPrint™, Mopria-certified					
Monthly duty cycle	Up to 200,000 pages (A4), Recommended m	onthly page volume: 5000 to 20,000				
Duplex printing	Automatic (standard)					
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts					
Processor speed	800 MHz					
Display	20.3 cm touchscreen, LCD (colour graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	20.3 cm touchscreen, LCD (colour graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	20.3 cm touchscreen, LCD (colour graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	20.3 cm touchscreen, LCD (colour graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hadware Integration Pocket		
Wireless	Optional, enabled with purchase of a hardwa	re accessory				
Connectivity	Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/10001 retwork; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host; Optional: HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A	Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethermet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host; Optional: HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A	Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host; Optional: HP Jetdirect ew2500 802.1 1b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A	Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host; Optional: HP Jetdirect ev2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A		
Network ready	Standard (built-in Gigabit Ethernet)					
Memory	Standard: 1 GB; Maximum: 1.5 GB					
Hard disk	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)		
Copier settings	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimise Text/Picture; Original Size; Job Build; Maximum number of copies: Up to 9999 copies: Copy resolution: 600 x 600 dpi					
Copy speed	Up to 41 cpm black (A4)					

Model	HP LaserJet Enterprise MFP M725dn	HP LaserJet Enterprise MFP M725z+	HP LaserJet Enterprise MFP M725f	HP LaserJet Enterprise MFP M725z	
Product number	CF066A	CF069A	CF067A	CF068A	
Scanner specifications			Copy, scan to E-mail, scan to network folder, scan naximum (flatbed, ADF): 297 x 420 mm; Optical sc Scan technology: Charge Coupled Device (CCD)		
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	
Scan speed	Up to 50 ppm (black and white), up to 30 ppm (colour); duplex: Up to 19 ipm (black and white), up to 14 ipm (colour)	Up to 50 ppm (black and white), up to 30 ppm (colour); duplex: Up to 19 ipm (black and white), up to 14 ipm (colour)	Up to 50 ppm (black and white), up to 30 ppm (colour); duplex: Up to 19 ipm (black and white), up to 14 ipm (colour)	Up to 50 ppm (black and white), up to 30 ppm (colour); duplex: Up to 19 ipm (black and white), up to 14 ipm (colour)	
Scannable area	Flatbed: Maximum media size: 297 x 420 mr Scannable area (ADF): Minimum media size: 6	n 58 x 148 mm; Maximum media size: 297 x 420 mr	m		
Scanner Advanced Features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets	
Recommended monthly scan volume	6,250 to 10,500	6,250 to 10,500	6,250 to 10,500	6,250 to 10,500	
Bit depth/ Grey scale levels	24-bit/ 256				
Digital sending	Standard: Scan to E-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL Optional: Optional via HP Digital Sending Sofi	Standard: Scan to E-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL tware (HP DSS); Send to folder; Send to workflow;	Standard: Scan to E-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL Send to printer; Authentication; Digital fax (send t	Standard: Scan to E-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL o LAN, Internet); OCR; Local Address Book	
Fax	Optional	Yes, 33.6 kbps	Yes, 33.6 kbps	Yes, 33.6 kbps	
Media types	Paper (colour, letterhead, light, plain, preprint	ted, prepunched, recycled, rough, tough paper), bo	ond, cardstock, envelope, labels, transparency, vell	um	
Paper size	ADF: A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B Custom metric: Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3: 148 x 210 to 297 x 431 mm Supported metric: A3; A4; A5; B4 (JIS); B5 (JIS)	6 (JIS); 10 x 15 cm; 13 x 18 cm Custom metric: Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3: 148 x 210 to 297 x 431 mm Supported metric: A3; A4; A5; B4 (JIS); B5 (JIS)	Custom metric: Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3, 4, 5: 148 x 210 to 297 x 431 mm Supported metric: A3; A4; A5; B4 (JIS); B5 (JIS)	Custom metric: Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Trays 3 - 6: 148 x 210 to 297 x 431 mm Supported metric: A3; A4; A5; B4 (JIS); B5 (JIS)	
Paper handling	Standard input: 100-sheet multipurpose tray, two 250-sheet input trays	Standard input: 100-sheet multipurpose tray, two 250-sheet input trays and one 3500-sheet High-capacity Input Tray Feeder and Stand	Standard input: 100-sheet multipurpose tray, two 250-sheet input trays, one 500-sheet feeder, and one 500-sheet feeder and stand	Standard input: 100-sheet multipurpose tray, two 250-sheet input trays and three 500-sheet feeders and stand	
	Standard output: 250-sheet output bin Optional/Input: Optional 500-sheet input tray, optional 1 x 500-sheet paper feeder with cabinet and stand, optional 3 x 500-sheet paper feeder with stand, optional 3500-sheet High-capacity Input Tray Feeder and Stand ADF: Standard, 100 sheets	Standard output: 250-sheet output bin, Standard output bin Optional/Input: Optional 500-sheet input tray	Standard output: 250-sheet output bin	Standard output: 250-sheet output bin, 500-sheet output bin	
Input capacity	Tray 1: sheets: 100; envelopes: 10; labels: 10	00; transparencies: 100; postcards: 10			
	Tray 2: sheets: 250 Tray 3: sheets: 250	Tray 3: Tray 3: sheets: 250; Tray 4: sheets: 1500; Tray 5: sheets: 2000	Tray 3: Tray 3: sheets: 250; Tray 4: sheets: 500; Tray 5: sheets: 500	Tray 3: Tray 3: sheets: 250; Tray 4: sheets: 500; Tray 5: sheets: 500; Tray 6: sheets: 500	
Output capacity	Maximum: Up to 4600 sheets Standard: Up to 250 sheets, Up to 50 envelope, Up to 250 sheets Transparancies	Maximum: Up to 4600 sheets Up to 750 sheets, Up to 50 envelopes, Up to 750 sheets Transparancies	Maximum: Up to 1600 sheets Up to 250 sheets, Up to 50 envelopes, Up to 250 sheets Transparancies	Maximum: Up to 2100 sheets Up to 750 sheets, Up to 50 envelopes, Up to 750 sheets Transparancies	
Paper weight	Tray 1: 60 to 199 g/m²; Trays 2, 3: 60 to 120 g/m² ADF: 45 to 199 g/m²	Tray 1: 60 to 199 g/m²; Trays 2 - 5: 60 to 120 g/m²	Tray 1: 60 to 199 g/m²; Trays 2 - 5: 60 to 120 g/m²	Tray 1: 60 to 199 g/m²; Trays 2 - 6: 60 to 120 g/m²	
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host				
What's in the box	HP LaserJet Enterprise MFP M725dn; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; 2x250-sheet trays.	HP LaserJet Enterprise MFP M725z+; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 1 x 3500-sheet Freeder and Stand; 500-sheet inline Stapler/Stacker; Built-in fax.	HP Laser Jet Enterprise MFP M725f; HP Black Laser Jet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-R0M; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 1x500 sheet feeder; cabinet and stand; Built-in fax.	HP LaserJet Enterprise MFP M725z; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-R0M; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 3x500-sheet Paper feeder and stand; 500-sheet inline Stapler/Stacker; Built-in fax.	

Model	HP LaserJet Enterprise MFP M725dn	HP LaserJet Enterprise MFP M725z+	HP LaserJet Enterprise MFP M725f	HP LaserJet Enterprise MFP M725z	
Product number	CF066A	CF069A	CF067A	CF068A	
Replacement cartridges	HP 14A Black LJ Toner Cartridge CF214A (~1	10,000 pages); HP 14X Black LJ Toner Cartridge CF	F214X (~17,500 pages)		
Supported network protocols) S v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTP GMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Pri		ecure-IPP, XMPP, IPsec/Firewall; IPv6: DHCPv6,	
Compatible operating systems	Windows 10, Windows 8, Windows 7, Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 (82-64-bit), Windows Server 2003 (SP1+); Mac OS X v10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upid), Novell (http://www.novell.com/iprint), Linux (http://www.hp.gip.et), UNIX (http://www.hp.com/go/unix, http://www.hp.com/go/unix, http://www.hp.co				
Minimum system requirements	Windows: Windows 10, Windows 8, Windows 7, Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008, Windows Server 2008 R2, Windows Server 2003 (SP1+): 200 MB available hard disk space (for OS compatible hardware system requirements, see http://www.microsoft.com) Mac: Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com				
Software included	Windows Installer, HP PCL 6 discrete driver, Mac Software Link to Web (Postscript emulation driver & Installer on Web), Note: No Mac Software inbox				
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in				
Printer management	HP Web Jetadmin, HP Utility (Mac)				
Control panel	20.3 cm touchscreen, LCD (colour graphics);	rotating (adjustable angle) display; illuminated Ho	ome button (for quick return to the Home menu);	Easy Access USB; Hardware Integration Pocket	
Printer dimensions (W x D x H)	Minimum: 614 x 649 x 609 mm Maximum: 865 x 989 x 609 mm	Minimum: 745 x 681 x 1192 mm Maximum: 917 x 1032 x 1192 mm	Minimum: 745 x 681 x 1160 mm Maximum: 917 x 1032 x 1160 mm	Minimum: 745 x 681 x 1192 mm Maximum: 917 x 1032 x 1192 mm	
Package dimensions (W x D x H)	760 x 745 x 832 mm	856 x 760 x 1553 mm	856 x 760 x 1522 mm	856 x 760 x 1553 mm	
Printer Weight	54.11 kg	102.42 kg	87.1 kg	92.35 kg	
Package weight	68.6 kg	122 kg	105.4 kg	113 kg	
Operating environment	Temperature: 10 to 32.5°C, Humidity: 30 to	70% RH			
Storage	Temperature: 0 to 60°C, Humidity: 10 to 909	% RH			
Acoustics	Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions: 54 dB(A)				
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Consumption: 890 watts (active print/copy), 39 watts (ready), 6.5 watts (sleep), 0.3 watts (off). Typical Electricity Consumption (TEC): 4.39 kWh/Week Power supply type: Built-in power supply				
Certifications	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998 +A1+A2; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR® qualified ENERGY STAR® qualified ENERGY STAR® qualified ENERGY STAR® qualified ENERGY STAR® qualified				
Warranty	One-year, on-site limited warranty. Warranty and support options vary by product, country and local legal requirements.				

Footnotes

¹ Maximum paper capacity of 4,600 sheets; requires the purchase of optional paper tray accessories.; ² High-capacity cartridges are optional for the HP LaserJet Enterprise 700 MFP Series M725.; ³ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn or M725f; ³ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn or M725f; ⁴ Inclumes taplet is not available on the HP LaserJet Enterprise MFP M725dn or M725f; ³ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn or M725f; ³ Fax capability enternets on the PW exhibited tables, see www.hpconnected.com. Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firthware upgrades;, ⁶ Supports the following devices running iOS 4.2 or later: iPad^a, iPad



http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors, or omissions contained herein.

